



48 rue Montmartre
75002 Paris
Tél : +33 (0)1 42 61 80 40
www.paycert.eu

Paris, 09th July 2025

Watchdata Technologies
Europarc de Pichaury,
1330 rue Guilibert de la Lauzière, Bât B8
13856 Aix-en-Provence Cedex 3
FRANCE

Calypso® Compliance Certificate – Card product

Certificate Number: **CNA-CCLA-00003**

Product/System name: TimeCOS CLAP 1.2 (commercial identification)

Compliant with : Calypso Specification – Calypso Light (v1.2)

Type of product : Full Contactless Native Card

RF Protocol supported: Type B

Calypso platform reference: \$52 SLC26 Family

Main features: Reference File Structure, Classic File Structure

Dear Customer,

PayCert hereafter referred to as the Certification Body, has received a request, submitted by Watchdata Technologies, your company, hereafter referred to as the Vendor for the Certification of the Contactless card product “TimeCOS CLAP 1.2” (Hardware identification: SLC26TDA280G7, Hardware Manufacturer ID: Infineon Technologies AG, Software Issuer ID: WATCHDATA \$15, Application version: 1.0), hereafter referred to as the Product and identified above as “TimeCOS CLAP 1.2”.

In connection with your request, we have received your Implementation Conformance Statement (ICS), referred to as CAL.WDT.LIGHT.2025-009 dated 2025/04/30 and we have assessed your Test Report(s) (ref. IC.E.RE.2503.013 V1.0), which was generated by ICUBE TESTING CENTER, following the Test Plan (ref. Calypso Light Functional Test Plan version 4).

After assessing such files in the Certification Evaluation Report (ref. CER/EVR/CNA/2025-067 v1.0.0) the Certification Body has found reasonable evidence that the submitted samples of the Product complies to the Calypso Light specification (ref. 170101-CalypsoLightApplication (v1.2, Sep. 2019)).

The Certification Body hereby grants the Product Certification of compliance with the requirements stated by the Calypso Calypso Light specification (ref. 170101-CalypsoLightApplication (v1.2, Sep. 2019)) standard and will include your Product in the certified products list, published on PayCert website (<http://cna-paycert-certification.com>).



48 rue Montmartre
75002 Paris
Tél : +33 (0)1 42 61 80 40
www.paycert.eu

Please note that the present Certification (ref. CER/CLE/CNA/2025-086 v2.0.0) is subject to the following terms and conditions as listed hereafter :

i) The Vendor commits to the Certification Body certification procedures as well as the Calypso Certification Policy to obtain the Certification and therefore is valid as of today and will expire on the 09 July 2035.

ii) If the Product's hardware or software is changed, the Vendor must notify the Certification Body of this fact in writing. Any change in the certified Product that generates a different behaviour of the Product with respect to the endorsed specifications and Vendor's Implementation Conformance Statement, in The Certification Body's sole discretion, will be considered a modification subject to a requirement of new certification evaluation.

iii) The present Certification granted to Watchdata Technologies for the above referenced Product is non-transferable to any other vendor.

The Certification Body has the right to terminate or revoke the Certification should any of the aforementioned terms and conditions be not respected.

Because The Certification Body's grant is subject to such limitations, including certain events of termination, the Vendor and any third parties should confirm that such Certification is current and has not been terminated by referring to the list of certified Products published on the Certification Body website (<https://www.cna-paycert-certification.eu>).

Certificate Number: **CNA-CCLA-00003**

**The present certification letter supersedes the certification letter
ref. CER/CLE/CNA/2025-086 v1.0.0 issued on July 4th, 2025**

This Certificate letter is effective as a proof of Certification.

Name: Laurence MASSON

Title: Chief Operating Officer



APPENDIX (extract from ICS CAL.WDT.LIGHT.2025-009 dated 2025/04/30)

Main options		
SIZE/CAPACITY	What is the maximum Lc supported?	250
	What is the maximum Le supported?	250

Applicability declaration for compatibility with legacy terminal

Object	Constraint linked	Applicability supported
CLA byte '94' supported for the Select Application Command	CLA_94_SEL	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
CLA byte '94' supported for the other Calypso command	CLA_94	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
CLA byte 'FA' supported	CLA_FA	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
DES key supported	DES	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
DESX key supported	DESX	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Historical bytes of ATR readable using GET DATA	GET_ATR	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Ratification on contactless deselection	RAT_ON_DESELECT	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No