



48 rue Montmartre
75002 Paris
Tél : +33 (0)1 42 61 80 40
www.paycert.eu

Paris, January 26th 2026

Calmell SA
Carrer Fresser 12 C
08110, Barcelona
SPAIN

Calypso® Compliance Certificate – Card product

Certificate Number: **CNA-CCPR-00040**
Product/System name: SOMA Atlas V2 (commercial identification)
Compliant with : Portable Object Application v3.2
Type of product : PRIME Dual Card
RF Protocol supported: Type B
Calypso platform reference: \$3C SLE77CLFXXXXP(M) Family
Mode : Extended mode
Main features: PIN, Stored values, Shared files, AES algorithm, Rev 3.2 Cmd

Dear Customer,

PayCert hereafter referred to as the Certification Body, has received a request, submitted by Calmell SA, your company, hereafter referred to as the Vendor for the Certification of the Dual card product "KIAT V6" (Hardware identification: SLE77 V2, Hardware Manufacturer ID: HID Global, Software Issuer ID: HID Global (Arjo Systems) \$29, Application version: v2), hereafter referred to as the Product and identified above as "SOMA Atlas V2".

In connection with your request, we have received your Implementation Conformance Statement (ICS), referred to as CAL.HID.PRIME.2022-003 dated 06/05/2022 and we have assessed your Test Report(s) (ref. ELITT_LAB_ECA-P_TR_2022-048 Version 1.1), which was generated by ELITT, following the Test Plan (ref. "121003-TL-CalypsoPrime-TestPlan" v3).

After assessing such files in the Certification Evaluation Report (ref. CER/EVR/CNA2022-001 v1.0.0) the Certification Body has found reasonable evidence that the submitted samples of the Product complies to the Calypso Prime specification (ref. Calypso specifications rev3-060708-CalypsoAppli v3.3, Sept 2019).

The Certification Body hereby grants the Product Certification of compliance with the requirements stated by the Calypso Calypso Prime specification (ref. Calypso specifications rev3-060708-CalypsoAppli v3.3, Sept 2019) standard and will include your Product in the certified products list, published on PayCert website (<http://cna-paycert-certification.com>).



48 rue Montmartre
75002 Paris
Tél : +33 (0)1 42 61 80 40
www.paycert.eu

Please note that the present Certification (ref. CER/CLE/CNA/2026-013 v1.1.0) is subject to the following terms and conditions as listed hereafter :

- i) The Vendor commits to the Certification Body certification procedures as well as the Calypso Certification Policy to obtain the Certification and therefore is valid as of today and will expire on the 23th May 2032.
- ii) If the Product's hardware or software is changed, the Vendor must notify the Certification Body of this fact in writing. Any change in the certified Product that generates a different behaviour of the Product with respect to the endorsed specifications and Vendor's Implementation Conformance Statement, in The Certification Body's sole discretion, will be considered a modification subject to a requirement of new certification evaluation.
- iii) The present Certification granted to Calmell SA for the above referenced Product is non-transferable to any other vendor.

The Certification Body has the right to terminate or revoke the Certification should any of the aformentionned terms and conditions be not respected.

Because The Certification Body's grant is subject to such limitations, including certain events of termination, the Vendor and any third parties should confirm that such Certification is current and has not been terminated by referring to the list of certified Products published on the Certification Body website (<https://www.cna-paycert-certification.eu>).

Certificate Number: CNA-CCPR-00040

The present certification letter supersedes the certification letter ref. **CER/CLE/CNA/2026-013 v1.0.0** issued on January, 12th 2026.

This Certificate letter is effective as a proof of Certification.

Name: Laurence Masson

Title: Chief Operating Officer



APPENDIX (extract from ICS CAL.HID.PRIME.2022-003 dated 06/05/2022)

Main options		
INTERFACE	Does the product support Contact interface?	YES
	ISO/IEC 7816-3 protocol <i>If Contact interface supported.</i>	<input type="checkbox"/> T=0 <input type="checkbox"/> T=1
SIZE/CAPACITY	What is the maximum value of the Session Modifications byte of the Startup Information supported? <i>The value of the Session Modification field of a Calypso Prime application shall be between 7 and 55 (decimal).</i>	Click here to enter your text. (num/hexa)
	What is the maximum number of records in a file?	120
	What is the maximum record size supported?	250
	What is the maximum Lc supported?	250
	What is the maximum Le supported?	250
	What is the maximum size of binary file supported by the product? <i>Maximum value is 32,768bytes (8000h).</i>	Click here to enter your text.
SIZE/CAPACITY	What is the maximum number of data bytes entering a given Session MAC/Session signature? <i>Limit range from 16,384 to 49,152 bytes.</i>	Click here to enter your text.
	What is the minimal/maximal size of the certification authority public key certificate (CACert) that can be stored? <i>If PKI mode supported.</i>	Min.: Enter the value Max.: Enter the value
	What is the minimal/maximal size of the Calypso Prime application public key certificate (CardCert) that can be stored? <i>If PKI mode supported.</i>	Min.: Enter the value Max.: Enter the value



Applicability declaration for compatibility with legacy terminal

Object	Constraint linked	Applicability supported
CLA byte '94' supported for the Select Application Command	CLA_94_SEL	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
CLA byte '94' supported for the other Calypso command	CLA_94	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
CLA byte 'FA' supported	CLA_FA	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
DES key supported	DES	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
DESX key supported	DESX	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Historical bytes of ATR readable using GET DATA	GET_ATR	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Ratification on contactless deselection	RAT_ON_DESELECT	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Applicability declaration for native product

Object	Constraint linked	Applicability supported
List of Application available through ISO APDU Command (cf Calypso Prime specification version 3.3 edition 2 §4.3)	APP_AV	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Default application selected at reset If "yes", indicate which is the default application at reset (i.e. at opening of a logical channel).	DEF_APP	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Click here to enter your text.
DF contains another DF	DF_IN_DF	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Get response for a partial read of available bytes on the card supported ⁴	GETRESP_PARTIAL	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Master File supported	MF	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Select Command without request for FCI supported	NO_FCI	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
PUT DATA (for AID) supported	PUT_AID	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
PUT DATA (for SV link) supported	PUT_SV_LINK	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

⁴ This option is only available on contact interface