

48 rue de Montmartre 75002 Paris France

Paris, 16/10/2019

Mr Benjamin LIMONGI Zebra Technologies International LLC 208 La Salle Street, Suite Chicago, IL 60604 USA

## CEN TS 16794 Compliance Certificate - PCD

Certificate Number: CNAPC/PCD-00013

Product/System name: TC56 NFC SLED (commercial identification)

Compliant with: CEN/TS 16794-1:2017

Operational temp. range: Class A (Ambient)

Dear Mr Benjamin LIMONGI,

CNA-PayCert has received a request, submitted by Zebra Technologies International LLC, your company, for the Certification of the PCD product MISC-TC56-MSTSD (Software version: 1.25, Hardware version: MV, Reader type: IFM Reader (full range A and B)), hereafter referred to as the Product and identified above as "TC56 NFC SLED".

In connection with your request, we have received your Implementation Conformance Statement (ICS), referred to as PAY.ZEB.PCD.CEN16794.2017.2019-015 and we have assessed your Test Report(s) (ref. IC.E.RE.1908.013\_v1.0 (Analog), IC.E.RE.1908.014\_v1.1 (Digital)), which was generated by ICUBE, following the Test Plan "CEN/TS 16794-2:2017".

Based on these elements, as indicated in PayCert's Certification Report (ref. CER/EVR/PCD/2019-083 v1.0.0) the Certification Body has found reasonable evidence that the submitted samples of the Product complies to the CEN/TS 16794-1:2017.



48 rue de Montmartre 75002 Paris

France

The Certification Body hereby grants the Product Certification of compliance with the requirements stated by the CEN/TS 16794-1:2017 standard and will include your Product in the certified products list, published on CNA-PayCert website (http://cna-paycert-certification.com).

Please note that the present Certification is subject to the following terms and conditions as listed hereafter:

- i) The present Certification is granted on the basis of the Smart Ticketing Alliance Certification Policy and therefore is valid as of today and will expire on the 16/10/2026
- ii) If the Product is changed, Zebra Technologies International LLC must notify the Certification Body of this fact in writing. Any change in the Product that may generate a different behaviour with respect to the CEN/TS 16794-1:2017 standard or a difference in the Product Implementation Conformance Statement will be considered a major modification subject to a new evaluation in order to maintain the present Certification.
- iii) The present Certification granted to Zebra Technologies International LLC for the above referenced Product is non-transferable to any other vendor.

The Certification Body has the right to terminate or revoke the Certification should any of the aformentionned terms and conditions be not respected.

Name: Ludovic VERECQUE

Title: General Manager

The present certification letter supersedes the certification letter ref. CER/CLE/PCD/2019-083 v1.0.0 issued on 14/10/2019



48 rue de Montmartre

75002 Paris

France

## a. PCD Product Description

[PCD1] Administrative data

[PCD1.1] (\*) Brand name: TC56 NFC SLED

[PCD1.2] (\*) Trade name: MISC-TC56-MSTSD-01

[PCD1.3a] (\*) Hardware version: MV [PCD1.3b] (\*) Software version: 1.25

[PCD1.4] (\*) Reference of the contactless reader or antenna module: ASK-UCM108-C

[PCD1.4a] (\*) Hardware version of the contactless reader or antenna module: MV

[PCD1.4b] (\*) Software version of the contactless reader or antenna module: CSC 1.25

[PCD1.5] (\*) EMVCo Approval number (if applicable): Not applicable

## b. PCD General Technical Characteristics

[PCD2.1] (\*) PT Reader Type: IFM Reader (Full range A and B)

[PCD2.2] (\*) Transaction supported when more than one PICC in the field: No

[PCD2.3] (\*) Operational temperature range supported: Class A (Ambient)

[PCD2.7] (\*) Reference of the PCD Zero Point – Range A (target ID marked on sample or photo or diagram)



[PCD2.11] (\*) Reference of the PCD Zero Point – Range B (target ID marked on sample or photo or diagram)

Idem as for range A



48 rue de Montmartre

75002 Paris

France

## c. PCD Supported Options

[PCD3] Protocol characteristics

[PCD3.1] (\*) Protocol(s) supported: Type A  $\boxtimes$  Type B  $\boxtimes$ 

Other: Type B', STM SR, CTS512B

[PCD4] Type A

[PCD4.1] (\*) PCD -> PICC bit rates supported: fc/128 (~106 kbit/s)

Other

[PCD4.2] (\*) PICC -> PCD bit rates supported: fc/128 (~106 kbit/s)

Other:

[PCD5] Type B

[PCD5.1] (\*) PCD -> PICC bit rates supported: fc/128 (~106 kbit/s)

Other:

[PCD5.2] (\*) PICC -> PCD bit rates supported: fc/128 (~106 kbit/s)

Other: