



PayCert
48 rue Montmartre
75002 Paris
France

Paris, 29 April 2026

Planeta Informática LTDA
Av. Dr. Romeu Tórtima 272
Campinas, SP, 13084-791
BRAZIL

ISO/IEC TS 24192 Compliance Certificate - PCD

A Smart Ticketing Alliance certification program

Certificate Number: **CNAPC/PCD-00054**

Product/System name: SCR916 (commercial identification)

Compliant with : ISO/IEC TS 24192-1:2021

PT reader type : IFM reader - up to 4 cm

Hardware : Reader module to be integrated in a final product

Operational temp. range : Class D

Dear Customer,

The Certification Body PayCert has received a request, submitted by Planeta Informática LTDA, your company, for the Certification of the PCD product SCR916 (PCD Hardware version: 02, PCD Software version: 2.7.6), hereafter referred to as the Product and identified above as "SCR916".

In connection with your request, we have received your Implementation Conformance Statement (ICS), referred to as PAY.PIN.PCD.ISO24192.2021.2026-001 dated 2026/04/21 and we have assessed your Test Report(s) (ref. IC.E.RE.2512.013 V1.1 (Analog), IC.E.RE.2512.014 V1.0 (Digital)), which was generated by ICUBE TESTING CENTER, following the Test Plan "ISO/IEC TS 24192-2:2021".

Based on these elements, as indicated in PayCert's Certification Report (ref. CER/EVR/PCD/2026-077 v1.0.0) the Certification Body has found reasonable evidence that the submitted samples of the Product comply to the ISO/IEC TS 24192-1:2021 specification.

The Certification Body hereby grants the Product Certification of compliance with the requirements stated by the ISO/IEC TS 24192 standard and will include your Product in the certified products list, published on PayCert website (www.cna-paycert-certification.com).



PayCert
48 rue Montmartre
75002 Paris
France

Please note that the present Certification (ref. CER/CLE/PCD/2026-105 v1.0.0) is subject to the following terms and conditions as listed hereafter :

i) The present Certification is granted on the basis of the Smart Ticketing Alliance Certification Policy and therefore is valid as of today and will expire on the 28 April 2027.

ii) If the Product is changed, Planeta Informática LTDA must notify the Certification Body of this fact in writing. Any change in the Product that may generate a different behaviour with respect to the ISO/IEC TS 24192 standard or a difference in the Product Implementation Conformance Statement will be considered a major modification subject to a new evaluation in order to maintain the present Certification.

iii) The present Certification granted to Planeta Informática LTDA for the above referenced Product is non-transferable to any other vendor.

The Certification Body has the right to terminate or revoke the Certification should any of the aforementioned terms and conditions be not respected.

Planeta Informática LTDA, Certificate Number: CNAPC/PCD-00054

Name: Laurence Masson

Title: Chief Operating Officer



Accréditation n°5-0673
Portée disponible sur
www.cofrac.fr



PayCert
48 rue Montmartre
75002 Paris
France

Extract of ICS

a. PCD1 Product Description

[PCD1] Administrative data

- [PCD1.1] (*) Brand name: **Planeta Informatica**
- [PCD1.2] (*) Trade name: **SCR916**
- [PCD1.3a] (*) PCD Hardware version: **02**
- [PCD1.3b] (*) PCD Software version: **2.7.6**
- [PCD1.4] (*) Reference of the contactless reader: **SCR916**
- [PCD1.4a] (*) Hardware version of the contactless reader: **02**
- [PCD1.4b] (*) Software version of the contactless reader: **2.7.6**
- [PCD1.5] (*) Reference of the antenna module (if not fully integrated): **EMA106**
- [PCD1.6] (*) EMVCo Contactless Approval number (if applicable): **17373 0421 300 30a 30a FIME**
- [PCD1.7] (*) Hardware provided to the Test Laboratory (see section 4.2.3 of STA Technical Guidelines document): **Reader module to be integrated in a final product**
More details about the provided hardware:

The PCD is based on a STA certified PCD (*): **No**

If yes STA PCD certificate number (*): **N/A**

If yes rationale to justify the delta-certification (*): **N/A**

b. PCD General Technical Characteristics

[PCD2] General technical characteristics


- [PCD2.1] (*) PT reader type: **IFM reader - up to 4 cm**
- [PCD2.2] (*) PT reader requires only one PICC in the field: **Yes**
- [PCD2.3] (*) Operational temperature range supported: **Class D**
- [PCD2.4] (*) Number of supported polling sequence: **1**
Description of each supported polling sequence: **WUPA – WUPB – WUPA - ...**
- [PCD2.5] (*) Card presence check method: **None**
Condition of activation of the card presence check method (if applicable):



PayCert
48 rue Montmartre
75002 Paris
France

Range A:


[PCD2.6] (*) Reference of the PCD Zero Point – Range A (target ID marked on sample or photo or diagram)



The zero point is identified by the red region

Range B:

[PCD2.9] (*) Reference of the PCD Zero Point – Range B (target ID marked on sample or photo or diagram)



The zero point is identified by the red region

c. PCD Supported Options

[PCD3] Type A supported options

[PCD3.1] (*) PCD to PICC bit rates supported: $f_c/128$ (~106 kbit/s)

Other: N/A

[PCD3.2] (*) PICC to PCD bit rates supported: $f_c/128$ (~106 kbit/s)

Other: N/A

[PCD4] Type B supported options

[PCD4.1] (*) PCD to PICC bit rates supported: $f_c/128$ (~106 kbit/s)

Other: N/A

[PCD4.2] (*) PICC to PCD bit rates supported: $f_c/128$ (~106 kbit/s)

Other: N/A

d. PCD Test Parameters

[PCD5] Test parameters

[PCD5.1a] (*) PCD internal output buffer size (used for Maximum size of UT_APDU): 270 bytes

[PCD5.1b] (*) PCD internal input buffer size (used for Max size of response UT_APDU): 270 bytes