

Certification Body: CNA-PayCert

48 rue Montmartre 75002 Paris France

Paris, 23/07/2019

Mr. Stephane ARDILEY
IDENTIV
1900 Carnegie Ave, Suite B, Santa Ana,
CA 92705,
USA

CEN TS 16794 Compliance Certificate - PICC

Certificate Number: CNAPC/PIC-00014

Product/System name: uTrust Calypso SmartCard (Inzignia Services and Technologies)

Compliant with: CEN/TS 16794-2:2017

Operational temp. range: Class I (-10°C to +50°C)

ISO 14443 antenna class: Unclassified

Protocol supported: type B

Dear Mr. Stephane ARDILEY,

CNA-PayCert has received a request, submitted by IDENTIV, your company, for the Certification of the PICC product uTrust Calypso SmartCard (Inzignia Services and Technologies) (IC type: CD21NS02DALC54, Application Type: Calypso application v3.2, Antenna Antenna SES ModelA, PVC card body), hereafter referred to as the Product and identified above as "uTrust Calypso SmartCard".

In connection with your request, we have received your Implementation Conformance Statement (ICS), referred to as PAY.IDV.PICC.CEN16794.2017.2019-011 and we have assessed your Test Report(s) (ref. (analog): IC.E.RE.1905.014_v1.0, (digital): IC.E.RE.1905.015_v1.0), which was generated by ICUBE, following the Test Plan "CEN/TS 16794-2:2017".

Based on these elements, as indicated in PayCert's Certification Report (ref. CER/EVR/PIC/2019-059 v1.0.1) the Certification Body has found reasonable evidence that the submitted samples of the Product complies to the CEN/TS 16794-2:2017.



Certification Body: CNA-PayCert

48 rue Montmartre 75002 Paris

France

The Certification Body hereby grants the Product Certification of compliance with the requirements stated by the CEN/TS 16794-2:2017 standard and will include your Product in the certified products list, published on CNA-PayCert website (http://cna-paycert-certification.com).

Please note that the present Certification is subject to the following terms and conditions as listed hereafter:

- i) The present Certification is granted on the basis of the Smart Ticketing Alliance Certification Policy and therefore is valid as of today and will expire on the 17/07/2026.
- ii) If the Product is changed, IDENTIV must notify the Certification Body of this fact in writing. Any change in the Product that may generate a different behaviour with respect to the CEN/TS 16794-2:2017 standard or a difference in the Product Implementation Conformance Statement will be considered a major modification subject to a new evaluation in order to maintain the present Certification.
- iii) The present Certification granted to IDENTIV for the above referenced Product is non-transferable to any other vendor.

The Certification Body has the right to terminate or revoke the Certification should any of the aformentionned terms and conditions be not respected.

Name: Ludovic VERECQUE

Title: General Manager

The present certification letter supersedes the certification letter ref. CER_CLE_PIC_2019-059 v1.0.0 issued on 17/07/2019



Certification Body: CNA-PayCert

48 rue Montmartre

75002 Paris

France

1.1 **PICC Product Description**

[PICC1] Administrative data

[PICC1.1] (*) Brand name: uTrust Calypso Smartcard (Inzignia Services and Technologies)

[PICC1.2] (*) Trade name: uTrust Calypso Smartcard (Inzignia Services and Technologies)

[PICC1.3a] (*) Hardware version: CD21NS02DALC54

[PICC1.3b] (*) Software version: Calypso Application v3.2

Yes No [PICC1.4] (*) PICC features ISO/IEC 7816 contact interface (dual):


[PICC1.5] (*) IC manufacturer: ST Microelectronics

[PICC1.6] (*) IC reference / size: CD21NS02DALC54

1.2 **ICC General Technical Characteristics**

[PICC2] General technical characteristics

[PICC2.2] (*) Reference of PICC Zero Point (target ID-marked on sample or photo or diagram):



Area for module: 11x14mm

Centered in the middle of the antenna

[PICC2.3] (*) Operational temperature range supported:

Class A (Ambient)

• Class I (-10 °C to + 50 °C)

[PICC2.4] (*) Antenna class according to ISO/IEC 14443:

Unclassified "Class 1"

O "Class 2" O "Class 3"



Certification Body : CNA-PayCert

48 rue Montmartre 75002 Paris

France

1.3 PICC Supported Options

[PICC3] Protocol o	characteristics
[PICC3.1] (*)	Protocol(s) supported: Type A ☐ Type B ☒ Other:
[PICC5] Type B (where applicable)	
[PICC5.1] (*)	PCD -> PICC bit rates supported: • fc/128 (~106 kbit/s)
	Other: Click here to enter text.
[PICC5.2] (*)	PICC -> PCD bit rates supported: • fc/128 (~106 kbit/s)
	Other: Click here to enter text.
[PICC5.3] (*)	Only symmetrical bit rates supported:
[PICC5.4] (*)	PUPI value: Fixed number
[PICC5.9] (*)	Extended ATQB support: Yes No
	If yes, SFGI: 0
[PICC5.10] (*)	S(PARAMETERS) support:
[PICC5.11] (*)	All AFIs are supported: Yes • No
	If not, indicate all supported AFI(s): '00', '0Y', '10', '1Y', '20', '2Y', '30', '3Y', '40', '4Y', '50', '5Y', '60', '6Y', '70', '80', '82' to '8F', 'E0', 'E1', 'E2' with Y = '1' to 'F'
[PICC5.12] (*)	REQB/WUPB with N > 1 support: Ves No