

Paris, 29 December 2023

AUSTRIACARD Plastikkarten und Ausweissysteme GmbH Lamezanstrasse 4-8, A-1232 Wien Austria

CEN TS 16794 Compliance Certificate - PICC

A Smart Ticketting Alliance certification program

Certificate Number: CNAPC/PIC-00047

Product/System name: SOMA ATLAS V2R (commercial identification)

Compliant with: CEN/TS 16794-1:2017

Operational temp. range : Class I (-10°C to +50°C)

ISO 14443 antenna class: Unclassified

Protocol supported: type B

Dear Customer,

The Certification Body PayCert has received a request, submitted by Austria Card Plastikkarten und Ausweissysteme GmbH, your company, for the Certification of the PICC product SOMA ATLAS V2R (IC: SLC36PDA352LK; Software: JEKAL V2.1R by HID GLOBAL S.p.A; Application type: Calypso Prime Rev3.2; Antenna: ACA COM 3.0); Card body: PVC; Protocols: Type B, Dual card), hereafter referred to as the Product and identified above as "SOMA ATLAS V2R".

In connection with your request, we have received your Implementation Conformance Statement (ICS), referred to as PAY.AUS.PICC.CEN16794.2017.2023-011 dated 21/12/2023 and we have assessed your Test Report(s) (ref. IC.E.RE.2312.013_v1.0, IC.E.RE.2312.014_v1.0), which was generated by ICUBE TESTING CENTER, following the Test Plan "CEN/TS 16794-2:2017".

Based on these elements, as indicated in PayCert's Certification Report (ref. CER/EVR/PIC/2023-182 v1.0.0) the Certification Body has found reasonable evidence that the submitted samples of the Product complies to the CEN/TS 16794-1:2017.

The Certification Body hereby grants the Product Certification of compliance with the requirements stated by the CEN/TS 16794-1:2017 standard and will include your Product in the certified products list, published on PayCert website (www.cna-paycert-certification.com).



Please note that the present Certification is subject to the following terms and conditions as listed hereafter:

- i) The present Certification is granted on the basis of the Smart Ticketing Alliance Certification Policy and therefore is valid as of today and will expire on the 28. December 2030.
- ii) If the Product is changed, Austria Card Plastikkarten und Ausweissysteme GmbH must notify the Certification Body of this fact in writing. Any change in the Product that may generate a different behaviour with respect to the CEN/TS 16794-1:2017 standard or a difference in the Product Implementation Conformance Statement will be considered a major modification subject to a new evaluation in order to maintain the present Certification.
- iii) The present Certification granted to Austria Card Plastikkarten und Ausweissysteme GmbH for the above referenced Product is non-transferable to any other vendor.

The Certification Body has the right to terminate or revoke the Certification should any of the aforementioned terms and conditions be not respected.

Name: Ludovic VERECQUE

Title: General Manager





PayCert

48 rue Montmartre 75002 Paris France

a. PICC Product Description

[PICC1] Administrative data

[PICC1.1] (*) Brand name: SOMA ATLAS V2R

[PICC1.2] (*) Trade name: KIAT V6R

[PICC1.3a] (*) Hardware version: SLC36

[PICC1.3b] (*) Software version: JEKAL V2.1R

[PICC1.5] (*) IC manufacturer: INFINEON

[PICC1.6] (*) IC reference / size: SLC36PDA352LK / 352

[PICC1.9] (*) Type of card body structure: PVC

The PICC is based on a STA certified PICC (*):

C Yes • No


If yes STA PICC certificate number (*): N/A

If yes rationale to justify the delta-certification (*): N/A

b. PICC General Technical Characteristics

[PICC2] General technical characteristics

[PICC2.2] (*) Reference of PICC Zero Point (target ID-marked on sample or photo or diagram):



ACA COM 3.0

[PICC2.3] (*) Operational temperature range supported:

Class A (Ambient)

Class I (-10 °C to + 50 °C)

[PICC2.4] (*) Antenna class according to ISO/IEC 14443:

● Unclassified ○ "Class 1" ○ "Class 2" ○ "Class 3"



PayCert

48 rue Montmartre 75002 Paris France

c. PICC Supported Options

[PICC3] Protocol characteristics	
[PICC3.1] (*) Supported communication signal interface(s) and protocol(s): Type A \square Ty Other: Click here to enter text.	pe B ⊠
[PICC4] Type A (where applicable)	
[PICC4.1] (*) PCD -> PICC bit rates supported: Other: Click here to enter text.	
[PICC4.2] (*) PICC -> PCD bit rates supported: Other: Click here to enter text.	
[PICC4.3] (*) Only symmetrical bit rates supported:	
[PICC4.5] (*) UID value: C Fixed number C Random number	
[PICC4.11] (*) S(PARAMETERS) support: (PICC5) Type B (where applicable)	
[PICC5.1] (*) PCD -> PICC bit rates supported: Other: fc/64, fc/32, fc/16	
[PICC5.2] (*) PICC -> PCD bit rates supported: Other: fc/64, fc/32, fc/16	
[PICC5.3] (*) Only symmetrical bit rates supported:	
[PICC5.4] (*) PUPI value:	
[PICC5.9] (*) Extended ATQB support: Yes C No If yes, SFGI: 0	
[PICC5.10] (*) S(PARAMETERS) support:	
[PICC5.11] (*) All AFIs are supported: Organization No If not, indicate all supported AFI(s): 00	
[PICC5 12] (*) REOR/WLIPR with N > 1 support: • Yes • No	