



PayCert
48 rue Montmartre
75002 Paris
France

Paris, January 12th, 2026

Calmell SA
Carrer Fresser 12 C
08110, Barcelona
SPAIN

CEN/TS 16794-1:2017 Compliance Certificate - PICC

A Smart Ticketing Alliance certification program

Certificate Number: **CNAPC/PIC-00067**

Product/System name: SOMA Atlas V2 (commercial identification)

Compliant with : CEN/TS 16794-1:2017

Operational temp. range : Class I (-10°C to +50°C)

ISO 14443 antenna class : Class 1

Protocol supported : Type B

Dear Customer,

The Certification Body PayCert has received a request, submitted by Calmell SA, your company, for the Certification of the PICC product (IC type: SLE77CLFX1360P, Software: JEKAL v2, Application Type: Calypso Prime 3.2, Antenna : Jaws antenna (JAW-C-142), Card body : PVC, Full Contactless card), hereafter referred to as the Product and identified above as "SOMA Atlas V2".

In connection with your request, we have received your Implementation Conformance Statement (ICS), referred to as PAY.HID.PICC.CEN16794.2017.2021-001 dated 2021/03/09 and we have assessed your Test Report(s) (ref. ELITT/LAB/ECAP/RDT/2020-129 V2.0), which was generated by ELITT, following the Test Plan "CEN/TS 16794-2:2017".

Based on these elements, as indicated in PayCert's Certification Report (ref. CER/EVR/PIC/2021-047 v1.0.0) the Certification Body has found reasonable evidence that the submitted samples of the Product comply to the specification.

The Certification Body hereby grants the Product Certification of compliance with the requirements stated by the CEN/TS 16794-1:2017 standard and will include your Product in the certified products list, published on PayCert website (<http://cna-paycert-certification.com>).



PayCert
48 rue Montmartre
75002 Paris
France

Please note that the present Certification (ref. CER/CLE/PIC/2026-014 v1.0.0) is subject to the following terms and conditions as listed hereafter:

- i) The present Certification is granted on the basis of the Smart Ticketing Alliance Certification Policy and therefore is valid as of today and will expire on the 8th of April 2028.
- ii) If the Product is changed, Calmell SA must notify the Certification Body of this fact in writing. Any change in the Product that may generate a different behaviour with respect to the CEN/TS 16794-1:2017 standard or a difference in the Product Implementation Conformance Statement will be considered a major modification subject to a new evaluation in order to maintain the present Certification.
- iii) The present Certification granted to Calmell SA for the above referenced Product is non-transferable to any other vendor.

The Certification Body has the right to terminate or revoke the Certification should any of the aforementioned terms and conditions be not respected.

Name: Laurence MASSON

Title: Chief Operating Officer



Accréditation n°5-0673
Portée disponible sur
www.cofrac.fr



PayCert
48 rue Montmartre
75002 Paris
France

a. PICC Product Description

[PICC1] Administrative data

[PICC1.1] (*) Brand name: SOMA Atlas V2

[PICC1.2] (*) Trade name: KIAT V5

[PICC1.3a] (*) Hardware version: SLE77V2

[PICC1.3b] (*) Software version: JEKAL V2

[PICC1.4] (*) PICC features ISO/IEC 7816 contact interface (dual):

Yes No

[PICC1.5] (*) IC manufacturer: Infineon

[PICC1.6] (*) IC reference / size: SLE77CLFX1360P

[PICC1.7] (*) Type of card body structure: PVC

The PICC is based on a STA certified PICC (*):

Yes No


If yes STA PICC certificate number (*): CNAPC/PIC-00012

If yes rationale to justify the delta-certification (*): New features to the OS, no HW changes

b. PICC General Technical Characteristics

[PICC2] General technical characteristics

[PICC2.1] (*) Reference of PICC Zero Point (target ID-marked on sample or photo or diagram):



See CEN16794_20210118_Annex A

[PICC2.2] (*) Operational temperature class supported as defined in Clause 11.2 of ISO/IEC TS 24192-1:2021:

Class A

Class I



PayCert
48 rue Montmartre
75002 Paris
France

[PICC2.3] (*) Antenna class according to ISO/IEC 14443:

"Class 1" "Class 2" "Class 3"

Does not claim to meet the requirements of one particular PICC class

c. PICC Supported Options

[PICC3] General supported options

[PICC3.1] (*) Supported communication signal interface(s) and protocol(s): Type A Type B Other:

[PICC4] Type A supported options (where applicable)

[PICC4.1] (*) PCD -> PICC bit rates supported: fc/128 (~106 kbit/s)

Other:

[PICC4.2] (*) PICC -> PCD bit rates supported: fc/128 (~106 kbit/s)

Other:

[PICC4.3] (*) Only symmetrical bit rates supported: Yes No

[PICC4.4] (*) S(PARAMETERS) support: Yes No

[PICC5] Type B supported options (where applicable)

[PICC5.1] (*) PCD -> PICC bit rates supported: fc/128 (~106 kbit/s)

Other: 212 kbit/s; 424 kbit/s

[PICC5.2] (*) PICC -> PCD bit rates supported: fc/128 (~106 kbit/s)

Other: 212 kbit/s; 424 kbit/s

[PICC5.3] (*) Only symmetrical bit rates supported: Yes No

[PICC5.4] (*) PUPI value: Fixed number Random number

[PICC5.5] (*) Extended ATQB support: Yes No

If yes, SFGI: 4

[PICC5.6] (*) S(PARAMETERS) support: Yes No

[PICC5.7] (*) All AFIs are supported: Yes No

If not, indicate all supported AFI(s): 00h

[PICC5.8] (*) REQB/WUPB with N > 1 support: Yes No